



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX CQM 26.0005X** Page 1 of 3 [Certificate history:](#)
Status: **Current** Issue No: 0
Date of Issue: 2026-01-26
Applicant: **WAROM TECHNOLOGY INCORPORATED COMPANY**
No. 555 Baoqian Road, Jiading District, Shanghai, 201808
China
Equipment: **Explosion-proof cable glands typed DQM-II/I-D/***
Optional accessory:
Type of Protection: **Ex eb, Ex tb**
Marking: Ex eb IIC Gb
Ex tb IIIC Db

Approved for issue on behalf of the IECEx
Certification Body:

Ji Xiaodong

Position:

President 2026-01-26

Signature:
(for printed version)

Date:
(for printed version)

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

China Quality Mark Certification Group Co., Ltd.
No. 33 Zengguang Road, Haidian District
Beijing City, Postal code: 100048
China





IECEX Certificate of Conformity

Certificate No.: **IECEX CQM 26.0005X**

Page 2 of 3

Date of issue: 2026-01-26

Issue No: 0

Manufacturer: **WAROM TECHNOLOGY INCORPORATED COMPANY**
No. 555 Baoqian Road, Jiading District, Shanghai, 201808
China

Manufacturing locations: **WAROM TECHNOLOGY INCORPORATED COMPANY**
No. 555 Baoqian Road, Jiading District, Shanghai, 201808
China

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEX Quality system requirements. This certificate is granted subject to the conditions as set out in IECEX Scheme Rules, IECEX 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

[IEC 60079-31:2022](#) Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"
Edition:3.0

[IEC 60079-7:2017](#) Explosive atmospheres - Part 7: Equipment protection by increased safety "e"
Edition:5.1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[CN/CQM/ExTR26.0005/00](#)

Quality Assessment Report:

[CN/CQM/QAR07.0003/14](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX CQM 26.0005X**

Page 3 of 3

Date of issue: 2026-01-26

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

DQM-I/I-D/* explosion-proof cable glands consist of thread bushing, clamping device, pressing ring and locknut. The cable glands are made of plastic; clamping device adopts mechanical clamping seal with seal ring. The cable glands are plastic unarmored. Thread specification can be M16×1.5, M20×1.5, M25×1.5, M32×1.5, M40×1.5, M50×1.5, M63×1.5. The product fulfill the requirements of IP66 according to IEC 60529.

SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1.The explosion-proof cable glands can be used in service temperature range: -40°C~+80°C.
2. The user shall provide an additional clamping of the cable to ensure that pulling and twisting is not transmitted to the terminations.