





Mounting type (all dimensions in mm) – subject to alteration



G: pendant pole type




Weight: 10.35kg

Accessories supplied with the light fittings:

- ①.BGJ-III explosion-proof connector G3/4" (M)/M25 x 1.5 (F), Stainless steel.
- ②.Straight pipe (M25 x 1.5), length: 300mm.
- ③.BHD51-F (Ex d IIC, copper-free aluminium), see P3/4.

D: hook type




Weight: 9.30kg

Accessories supplied with the light fittings:

- ①.BGJ-III explosion-proof connector G3/4" (M)/M25 x 1.5 (F), Stainless steel.
- ④.Hook (Stainless steel)

X: ceiling type




Weight: 9.45kg

Accessories supplied with the light fittings:

- ⑤.4 x M25 x 1.5 Plugs; Ex d cable gland (optional): DQM-II (Ex d) or DQM-III (Ex d) is recommended.

Please see P7/22~31.

B: wall type




Weight: 11.20kg

Accessories supplied with the light fittings:

- ⑤.4 x M25 x 1.5 Plugs; Ex d cable gland (optional): DQM-II (Ex d) or DQM-III (Ex d) is recommended.

Please see P7/22~31.

L: pole type





Weight: 9.70kg

Accessories supplied with the light fittings:

- ⑥.Pole shall be provided by user.
- ⑦.Locking bolt, 1No.
- ⑧.Washer, 2 Nos.
- ⑨.Seal ring, 1No.

Mounting type (all dimensions in mm) – subject to alteration



Weight: 17.20kg
Accessories supplied with the light fittings:

- ①.BGJ-III explosion-proof connector G3/4" (M)/M25 x 1.5 (F), Stainless steel.
- ②.Straight pipe (M25 x 1.5), length: 300mm.
- ③.BHD51-F (Ex d IIC, cast iron), see P3/4.

Weight: 14.55kg
Accessories supplied with the light fittings:

- ①.BGJ-III explosion-proof connector G3/4" (M)/M25 x 1.5 (F), Stainless steel.
- ④.Hook (Stainless steel)

Weight: 15.20kg
Accessories supplied with the light fittings:

- ⑤.4 x M25 x 1.5 Plugs; Ex d cable gland (optional): DQM-II (Ex d) or DQM-III (Ex d) is recommended.

Please see P7/22~31.

Weight: 16.95kg
Accessories supplied with the light fittings:




- ⑤.4 x M25 x 1.5 Plugs; Ex d cable gland (optional): DQM-II (Ex d) or DQM-III (Ex d) is recommended.

Please see P7/22~31.


Weight: 15.50kg
Accessories supplied with the light fittings:

- ⑥.Pole shall be provided by user.
- ⑦.Locking bolt, 1 No.
- ⑧.Washer, 2 Nos.
- ⑨.Seal ring, 1 No.

Mounting type (all dimensions in mm) – subject to alteration




G: pendant pole type



Weight: 23.65kg
Accessories supplied with the light fittings:

- ①.BGJ-III explosion-proof connector G3/4" (M)/M25 x 1.5 (F), Stainless steel.
- ②.Straight pipe(M25 x 1.5), length: 300mm.
- ③.BHD51-F (Ex d IIC, cast iron), see P3/4.


D: hook type



Weight: 20.85kg
Accessories supplied with the light fittings:

- ①.BGJ-III explosion-proof connector G3/4" (M)/M25 x 1.5 (F), Stainless steel.
- ④.Hook (Stainless steel)


X: ceiling type



Weight: 21.50kg
Accessories supplied with the light fittings:

- ⑤.4 x M25 x 1.5 Plugs; Ex d cable gland (optional): DQM-II (Ex d) or DQM-III (Ex d) is recommended.
- Please see P7/22-31.


B: wall type



Weight: 23.25kg
Accessories supplied with the light fittings:

- ⑤.4 x M25 x 1.5 Plugs; Ex d cable gland (optional): DQM-II (Ex d) or DQM-III (Ex d) is recommended.
- Please see P7/22-31.

L: pole type



Weight: 21.80kg
Accessories supplied with the light fittings:

- ⑥.Pole shall be provided by user.
- ⑦.Locking bolt, 1 No.
- ⑧.Washer, 2 Nos.
- ⑨.Seal ring, 1 No.