



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:	IECEx CQM 12.0042X	Page 1 of 4	<u>Certificate history:</u>
Status:	Current	Issue No: 1	Issue 0 (2012-10-24)
Date of Issue:	2025-11-12		
Applicant:	WAROM TECHNOLOGY INCORPORATED COMPANY No. 555, Baoqian Road, Jiading District, Shanghai 201808 China		
Equipment:	Explosion-proof light fittings for fluorescent lamp BAY51-...		
Optional accessory:			
Type of Protection:	Flameproof enclosures "d", Protection by enclosure "t"		
Marking:	Ex d IIC T6 Gb, Ex t III C T80°C Db IP66 -20°C≤Ta≤+55°C		

Approved for issue on behalf of the IECEx
Certification Body:

Ji Xiaodong

Position:

President

Signature:
(for printed version)

Date:
(for printed version)

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

China Quality Mark Certification Group Co., Ltd.
No. 33 Zengguang Road, Haidian District
Beijing City, Postal code: 100048
China

CQM
China Quality Mark



IECEx Certificate of Conformity

Certificate No.: **IECEx CQM 12.0042X**

Page 2 of 4

Date of issue: 2025-11-12

Issue No: 1

Manufacturer: **WAROM TECHNOLOGY INCORPORATED COMPANY**
No. 555, Baoqian Road, Jiading District, Shanghai 201808
China

Manufacturing locations: **WAROM TECHNOLOGY INCORPORATED COMPANY**
No. 555, Baoqian Road, Jiading District, Shanghai 201808
China

WAROM TECHNOLOGY MENA FZCO
Plot, S10103, Jebal Ali South, Jebal Ali Freezone
DUBAI PO Box: 263667
United Arab Emirates

WAROM TECHNOLOGY ARABIA INDUSTRIAL LLC
Building No. 4443, Ibn Sina Street, 1st Industrial District
Dammam 32234
Saudi Arabia

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2007 Explosive atmospheres - Part 0:Equipment - General requirements
Edition:5

IEC 60079-1:2007 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition:6

IEC 60079-31:2008 Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure 't'
Edition:1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[CN/CQM/ExTR12.0049/00](#)

Quality Assessment Report:

[CN/CQM/QAR07.0003/14](#)



IECEx Certificate of Conformity

Certificate No.: **IECEx CQM 12.0042X**

Page 3 of 4

Date of issue: 2025-11-12

Issue No: 1

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Description of equipment

The BAY51 Series Explosion-proof Light Fittings for Fluorescent Lamp have two kinds of structure: single tube and dual tube. The single tube explosion-proof light fittings for fluorescent lamp are composed of quick-open cover, enclosure, glass shade and back cover. The metallic part of the compartment is manufactured from aluminium alloy. The dual tube type is composed of two single tube explosion-proof light fittings for fluorescent lamps. The two compartments are connected by connector. The wires through the connector are sealed by compound.

Rating

Voltage:AC100V ~ 300V, 50Hz/60Hz

Lamp source:

1x18W 2x18W

1x36W 2x36W

1x58W 2x58W

SPECIFIC CONDITIONS OF USE: YES as shown below:

1. Repair of the threaded joints must be made in compliance with the structural specifications provided by the manufacturer. Repairs must not be made on the basis of values specified in table 3 of IEC 60079-1:2007.
2. The mounting direction of explosion-proof light fittings for fluorescent lamp are pole mounting and pendant mounting. See the manual.



IECEx Certificate of Conformity

Certificate No.: **IECEx CQM 12.0042X**

Page 4 of 4

Date of issue: 2025-11-12

Issue No: 1

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Additional manufacturing locations WAROM TECHNOLOGY MENA FZCO and WAROM TECHNOLOGY ARABIA INDUSTRIAL LLC are added.